



ATAC Solutions Ltd is a leading environmental engineering company based in Maidstone, United Kingdom.

ATAC Solutions is known for its state-of-the-art liquid collection fleet and its expertise in providing bespoke turnkey wastewater process solutions.

With a focus on sustainability and accreditation in ISO 9001 & ISO 14001, the company serves domestic and industrial clients across the South-East and London.



ATAC Solutions Ltd,
Unit A9, Loc 8 Business Park, Ashford Road,
Hollingbourne, Maidstone, England, ME17 1WR

 [atacsolutions.com](https://www.atacsolutions.com)
 01622 882400

     
Axiom Water companies

FEKAFOS 1200 - 2000 - 3800

AUTOMATIC PUMPING STATION



C € CIVIL AND INDUSTRIAL WASTE WATER COLLECTION AND LIFTING

Automatic collection and lifting stations, for outside and underground installation used for collecting and pumping civil and industrial waste water in sewers.

High density 1220, 2000 and 3800 litre polythene tank with double inspection cover and safety grid. Fekafos series is suitable only for the use of one not automatic single/triphas pump from the following:

DN 50_FEKA VS 550-750-1000-1200 T/M-NA;
GRINDER 1000-1200-1800 T e GRINDER 1400 M;
FEKA 2015-2025-2030 2T DN 65_FEKA 2500 4T,
FEKA 2500-2515-2700 2T.

Complete with: 2 DN50 or DN65 (DN 80 on request), 3 bulb floats, DN 160 inlet connections. An alarm float can be used on request.

Valves are not included: 2 bulb valves and 2 gate valves are available in a specific inspectin tank (see accessories).

Operating range: from 1 to 48 m³/h with a head of up to 23 m.

Liquid temperature range: +55°C.

Pumped liquid: ground water, rain water, clear waste water, black waste water and water from rivers and lakes.

TECHNICAL DATA

MODEL	CODE	CAPACITY [lt]	DIMENSION [mm]	TO BE USED WITH	DN PIPES [mm]	WEIGHT KG.
FEKAFOS 1200 CP 2"	60148424	1200	ø 1250 x 1420	FEKA VS/VX 550-750-1000-1200 M-NA/T GRINDER 1000-1200-1600 T, GRINDER 1400 M-1800 T FEKA 1400 M-1800	1x DN160 inlet 1x 2" ventilation	110
FEKAFOS 1200 CP DN 65	60148584	1200	ø 1250 x 1420	FEKA 2500 4T, FEKA 2500-2515-2700 2T	1x DN160 inlet 1x 2" ventilation	110
FEKAFOS 2000 CP 2"	60148585	2000	ø 1250 x 2300	FEKA VS 550-750-1000-1200 T/M-NA; GRINDER 1000-1200-1800 T e GRINDER 1400 M; FEKA 2015-2025-2030 2T	1x DN160 inlet 1x 2" ventilation	150
FEKAFOS 2000 CP DN 65	60148586	2000	ø 1250 x 2300	FEKA 2500 4T, FEKA 2500-2515-2700 2T	1x DN160 inlet 1x 2" ventilation	150
FEKAFOS 3800 CP 2"	60148588	3800	ø 1800 x 1860	FEKA VS 550-750-1000-1200 T/M-NA; GRINDER 1000-1200-1800 T e GRINDER 1400 M; FEKA 2015-2025-2030 2T"	1x DN160 inlet 1x 2" ventilation	170
FEKAFOS 3800 CP DN 65	60148589	3800	ø 1800 x 1860	FEKA 2500 4T, FEKA 2500-2515-2700 2T	1x DN160 inlet 1x 2" ventilation	170