





ATAC Solutions Ltd is a leading environmental engineering company based in Maidstone, United Kingdom.

ATAC Solutions is known for its state-of-the-art liquid collection fleet and its expertise in providing bespoke turnkey wastewater process solutions.

With a focus on sustainability and accreditation in ISO 9001 & ISO 14001, the company serves domestic and industrial clients across the South-East and London.



ATAC Solutions Ltd,
Unit A9, Loc 8 Business Park, Ashford Road,
Hollingbourne, Maidstone, England, ME17 1WR

 [atacsolutions.com](https://www.atacsolutions.com)
 01622 882400



Axiom Water companies

FEKAFOS 550

AUTOMATIC PUMPING STATION



WASTE WATER COLLECTION AND LIFTING



Automatic collection and lifting stations, used for collecting and pumping civil and industrial waste water in sewers. Comprises a high density 550 litre polythene tank with 2 removable covers complete with a watertight and gastight seal.

Fekafos series is suitable only for the use of one or two not automatic single/triphas pumps from the following: **FEKA 600 M-NA/T, FEKA VS/VX 550-750-1000-1200 GRINDER 1000-1200-1600 T, GRINDER 1400 M-1800 T FEKA 1400 M-1800 T, FEKA 2015 - 2030.2TNA** to be ordered separately.

Complete with: 3 bulb floats mounted on a stainless steel support, cable holder for connecting the float and pump cables to the electrical panel (**to order separately according to performance range table**), DN50 and DN110 suction manifolds and 2" delivery manifolds, connector for DN50 vent tube, 2 lifting devices (DSD2) for making pump maintenance easier. An alarm float can be used on request.

Operating range: from 1 to 39 m³/h with a head of up to 23 m.


Liquid temperature range: +55°C.

Pumped liquid: ground water, rain water, clear waste water, black waste water and water from rivers and lakes.

TECHNICAL DATA

MODEL	CODE	CAPACITY [lt]	DIMENSION [mm]	TO BE USED WITH	DN PIPES [mm]	WEIGHT KG.
FEKAFOS 550	531220220	550	920x1110x745	FEKA 600 M-NA/T, FEKA VS/VX 550-750-1000-1200 M-NA/T GRINDER 1000-1200-1600 T, GRINDER 1400 M-1800 T FEKA 1400 M-1800 T, FEKA 2015 - 2030.2TNA	2xDN110 inlet 1xDN50 ventilation	94

TECHNICAL DATA



DIMENSIONS

